

#### JIAGNSU HAPPY BABY SAFETY SEAT CO.,LTD

ADD: West side of Lianfu River, North sideof Sitong Road, Hongqiao Industrial Park, Taixing City, Jiangsu Province, China

TEL: 0086-523-87429388 FAX: 0086-523-87435608 Website: //www.happy-baby.cc



#### **Company Profile**

We are a professional manufacturer, specialized in the design, production, sale of child safety car seats. Our factory is located in Taixing city, Jiangsu province with convenient transportation.

We develop and design safe, comfortable, practical and innovative child safety car seat according to ECE R44/04 standard and UN R129 standard.


We have professional team of designing, production, sales and quality control. We have complete production equipment and testing equipment to ensure timely delivery and product quality assurance at the request of clients.

We focus on Southeast Asia, the Middle East, Europe, South America, etc.. All kinds of OEM and ODM projects are welcome.

All for the safety of baby travel, striving to become the trusted partner of the baby and family is our eternal pursuit.




























# i-Size Baby car seat HB331

with ISOFIX +Top Tether 360° Rotation



• Rearward Facing: Child height 40cm-105cm/ Child weight ≤ 22.4kg

· Forward Facing: Child height 76cm-105cm/ Child weight ≤ 22.4kg

· Forward Facing: Child height 100cm-150cm


- · Injection mould making
- · Side impact protection system
- · Contoured and flat base
- · Integral 5-point harness system
- 6 harness height adjust to children's height
- Four reclining positions of seat body with one single hand operation for forward facing
- Four reclining positions of seat body with one single hand operation for rearward facing
- 14 height positions for the headrest adjustment
- Packing: 1PC/CTN, 220PCS/20GP,600PCS/40HQ
- · Passed European New safety standard R129/03: i-Size





Black Grey





# i-Size Baby car seat HB336

with ISOFIX +SUPPORT LEG 360° Rotation



• Rearward Facing: Child height 40cm-105cm/ Child weight ≤21.4kg

• Forward Facing: Child height 76cm-105cm/ Child weight≤21.4kg

· Forward Facing: Child height 100cm-150cm

- · Injection mould making
- · Side impact protection system
- · Contoured and flat base
- · Integral 5-point harness system
- 6 harness height adjust to children's height
- Four reclining positions of seat body with one single hand operation for forward facing
- Four reclining positions of seat body with one single hand operation for rearward facing
- 14 height positions for the headrest adjustment
- · Packing: 1PC/CTN, 200PCS/20GP,490PCS/40HQ
- · Passed European New safety standard R129/03: i-Size








Grey





# i-Size Baby car seat HB338

with ISOFIX +Top Tether 360° Rotation



• Rearward Facing: Child height 40cm-105cm/ Child weight ≤ 22.6kg

• Forward Facing: Child height 76cm-105cm/ Child weight ≤ 22.6kg

· Forward Facing: Child height 100cm-150cm

- · Injection mould making
- · Side impact protection system
- · Contoured and flat base
- · Integral 5-point harness system
- 6 harness height adjust to children's height
- Four reclining positions of seat body with one single hand operation for forward facing
- Four reclining positions of seat body with one single hand operation for rearward facing
- 14 height positions for the headrest adjustment
- Packing: 1PC/CTN, 220PCS/20GP,600PCS/40HQ
- Meet European New safety standard R129/03: i-Size





Black Grey







# i-Size Baby Car Seat HB339

With ISOFIX+SUPPORT LEG 360° Rotation



- · Rearward Facing: Child height 40cm-105cm / Child weight ≤ 19kg;
- Forward Facing: Child height 76cm-105cm / Child weight ≤ 19 kg;
- · Forward Facing: Child height 100cm-150cm
- · Injection mould making
- · Side impact protection system.
- · Contoured and flat base
- · Integral 5-point harness system
- 6 harness height adjust to children's height
- Five reclining positions of seat body with one single hand operation for forward facing
- The largest reclining position of seat body with one single hand operation for rearward facing
- $\cdot$  14 height positions for the headrest adjustment
- · Packing: 1PC/CTN,250PCS/20GP, 560 PCS/40HQ
- · Passed European new safety standard R129/03: i-Size








Black

# Нарру Вару



# Universal booster cushion **HB606**

#### With ISOFIX




- · Forwarder Facing: Child height 125-150cm
- · Blowing mould making
- · Packing: 4PCS/CTN 1040PCS/20GP, 2400PCS/40HQ
- · Passed European New Safety Standard R129/04



Black





# Universal booster cushion **HB606A**



- · Forwarder Facing: Child height 125-150cm
- Blowing mould making
- · Packing: 4PCS/CTN 1040PCS/20GP, 2400PCS/40HQ
- · Passed European New Safety Standard R129/04



Black







# i-Size booster seat HB629

With high backrest and ISOFIX



- · Forward Facing: Child height 100cm-150cm
- · Blowing mould making
- · Side impact protection system
- · 12 height positions for the headrest adjustment
- Packing: 2PCS/CTN,350PCS/20GP,830PCS/40HQ
- · Passed European New Safety Standard R129/03: i-Size





Black

Blue






# Baby car seat HB659


- · Blowing mould making
- Forward Facing: Child height 76cm-105cm/ Child weight≤ 18kg, Belted baby car seat
- Forward Facing: Child height 100cm-150cm / Child weight≤ 36kg, i-Size booster seat
- · Side impact protection system
- · 6 harness slots adjust to children's height
- · Integral 5-point harness system
- 13 height positions for the headrest adjustment
- · Packing: 2PCS/CTN, 348PCS/20GP,756PCS/40HQ
- Passed European New Safety Standard UN R129/03: Universal Belted ECRS.











# Infant carrier HB819

- · Rearward Facing: Child height 40cm-87cm / Child weight ≤13kg;
- · Air flow design.
- · Injection mould making.
- · Can be fitted with the stroller.
- · 3-point belt harness system.
- 7 harness height adjust to children's height
- 7 height positions for the headrest adjustment
- · Removable canopy prevents sunshine.
- The carry handle has 4positions.
- · Can be as a baby rocker
- · Packing: 4PCS/CTN, 384PCS/20GP, 936PCS/40HQ
- Passed European New Safety Standard UN R129/03: Universal Belted ECRS.







Black







### Baby car seat HB916Pro



- · Rearward facing:Child height 40-105cm /Child weight≤18kg
- · Injection mould making
- · Integral 5-point harness system
- One reclining position for seat body with one single hand operation Five height positions for the headrest adjustment
- · Packing: 2PCS/CTN, 700PCS/40HQ
- Passed European New Safety Standard UN R129/03: Universal Belted ECRS







Beige